

Trials

Study-summary

Ongoing and planned studies

***NB: all detailed protocol information can be found at :
Protocolnet of the Erasmus MC, www.hovon.nl or by the research hematology (010-7034546)
at the Erasmus MC.***

ALL			
Hovon 117 Dr. A. Rijneveld	≥ 60 (ALL)	An observational study for older adults with Acute Lymphoblastic Leukaemia	On hold
Hovon 146 Dr. A. Rijneveld	18-70	Blinatumomab added to prephase and consolidation therapy in precursor B-acute lymphoblastic leukemia in adults. A phase II trial	open
Kite Pharmaceuticals Zuma 3 KTE- C19-103 Dr. A. Rijneveld	≥ 18 years	Zuma 3 KTE- C19-103, A Phase 1/2 Multi- Center Study Evaluating the Safety and Efficacy of KTE-C19 in Adult Subjects with Relapsed/Refractory B- precursor ALL	open
AML			
AMGEN AMG330-20120252 Dr. M. Jongen-Lavrencic	≥ 18 years	A Phase 1 First-in-human Study Evaluating the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics and Efficacy of AMG 330 Administered as Continuous Intravenous Infusion in Subjects With elapsed/Refractory Acute Myeloid Leukemia	open
ABBV-621 Dr. M. Jongen-Lavrencic	≥ 18 years	An Open Label Phase 1, First-In-Human Study of TRAIL Receptor Agonist ABBV-621 in Subjects with Previously-Treated Solid Tumors and Hematologic Malignancies	open
Macrogenics CP-MGD006-01 Prof. B. Lowenberg	≥ 18 years	A Phase 1, First-in-Human, Dose Escalation Study of MGD006, a CD123 x CD3 Dual Affinity Re-Targeting (DART) Bi-Specific Antibody-Based Molecule, in Patients with Relapsed or Refractory Acute Myeloid Leukemia or Intermediate- 2/High Risk Myelodysplastic Syndrome	open
Merus MCLA-117-CL01 Dr. M. Jongen-Lavrencic	≥ 18 years	A Phase 1, Multinational Study of MCLA-117 in Acute Myelogenous Leukemia	open
Hovon 138 Dr. M. Jongen-Lavrencic	≥18 and ≤ 65	A randomized Phase III study to compare arsenic trioxide (ATO) combined to ATRA and idarubicin versus standard ATRA and anthracycline-based chemotherapy (AIDA regimen) for patients with newly diagnosed, high-risk acute promyelocytic leukemia (APOLLO)	open

Hovon 103 Arm D Selinexor Dr. M. Jongen-Lavrencic	≥ 66 yrs and very poor risk AML ≥ 18 yrs	Masterprotocol HOVON 103: A program of randomized phase II multicenter studies to assess the tolerability and efficacy of the addition of new drugs to standard induction chemotherapy in AML and RAEB	open
Hovon 148 Dr. M. Jongen-Lavrencic	≥ 18 years	A phase Ib feasibility study of the combination of panobinostat and midostaurin in recipients of allogeneic stem cell transplantation with FLT3-ITD AML	open
MDS			
Janssen Research & Development, LLC 56022473MDS2002 Dr. M. Raaijmakers	≥ 18 years	A Phase 2 Proof-of-Concept Study to Separately Evaluate the Activity of Talacotuzumab (JNJ-56022473) or Daratumumab in Transfusion-Dependent Subjects with Low or Intermediate-1 Risk Myelodysplastic Syndromes (MDS) who are Relapsed or Refractory to Erythropoiesis-Stimulating Agent (ESA) Treatment	open
Macrogenics Dr. M. Jongen-Lavrencic	≥ 18 years	A Phase 1, First-in-Human, Dose Escalation Study of MGD006, a CD123 x CD3 Dual Affinity Re-Targeting (DART) Bi-Specific Antibody-Based Molecule, in Patients with Relapsed or Refractory Acute Myeloid Leukemia or Intermediate-2/High Risk Myelodysplastic Syndrome, CP-MGD006-01	open
Amyloidose			
Janssen-Cilag 54767414AMY3001 Dr. A. Broijl	≥ 18 years	A Randomized Phase 3 Study to Evaluate the Efficacy and Safety of Daratumumab in Combination with Cyclophosphamide, Bortezomib and Dexamethasone (CyBorD) Compared With CyBorD Alone in Newly Diagnosed Systemic AL Amyloidosis.	open
CLL			
Hovon 141 Dr J.K. Doorduijn	≥ 18 years	A prospective, multicenter, phase-II trial of ibrutinib plus venetoclax in physically fit patients with creatinine clearance ≥ 30 ml/min who have relapsed or refractory chronic lymphocytic leukemia (RR-CLL) with or without TP53 aberrations	open
CML			
DASTOP 2	≥ 18 years	Persistence of major molecular remission (MR ³) in chronic myeloid leukemia after a second stop of TKI	planned

Dr. Te Boekhorst		treatment in patients who failed an initial stop attempt.	
MM			
Celgene CC-220-MM-001 Prof. Dr. P. Sonneveld	≥ 18 years	A Phase 1b/2a Multicenter, Open-label, Dose-escalation Study to Determine the Maximum Tolerated Dose, Assess the Safety and Tolerability, Pharmacokinetics and Preliminary Efficacy of CC-220 Monotherapy and in Combination with Dexamethasone in Subjects with Relapsed and Refractory Multiple Myeloma	open
EMN14/54767414MMY3013 Apollo Prof. Dr. P. Sonneveld	≥ 18 years	A Phase 3 Study Comparing Pomalidomide and Dexamethasone With or Without Daratumumab in Subjects With Relapsed or Refractory Multiple Myeloma Who Have Received at Least One Prior Line of Therapy With Both Lenalidomide and a Proteasome Inhibitor.” Apollo Studie	open
NIVO/DARA Prof. Dr. P. Sonneveld	≥ 18 years	A phase 2 study of nivolumab combined with daratumumab with or without lenalidomide-dexamethasone in relapsed/refractory multiple myeloma	On hold
Oncopeptides OP-103 OCEAN (MM) Prof. Dr. P. Sonneveld	≥ 18 years	A Randomized, Controlled, Open-Label, Phase 3 Study of Melflufen/Dexamethasone Compared with pomalidomide/ Dexamethasone for Patients with Relapsed Refractory Multiple Myeloma who are Refractory to Lenalidomide	open
Hovon 114 Prof. Dr. P. Sonneveld	≥ 18 years	Pomalidomide combined with Carfilzomib and Dexamethasone (PCd) for induction and consolidation followed by Pomalidomide combined with examethason vs omalidomide maintenance for patients with Multiple Myeloma in first relapse after prior 1st line treatment with Lenalidomide and Bortezomib	open
Hovon 129 Dr. A. Broyl	≥ 18 years	Carfilzomib and lenalidomide-based treatment for younger and elderly newly diagnosed primary plasma cell leukemia patients	open
Hovon 143 Prof. Dr. P. Sonneveld	≥ 18 years	Efficacy and tolerability of ixazomib, daratumumab and low dose dexamethasone (IDd) followed by ixazomib and daratumumab maintenance therapy until progression for a maximum of 2 years in unfit and frail newly diagnosed multiple myeloma patients; an open-label phase II trial	open

Hovon 147 Dr A. Broijl	≥ 18 years	Carfilzomib, Lenalidomide and Dexamethasone versus Lenalidomide and Dexamethasone in High- Risk Smoldereing Multiple Myeloma: A randomized Phase II Study.	open
(EMN17/54767414MMY30 14) Prof. Dr. P. Sonneveld	18-70 years	Phase 3 Study Comparing Daratumumab, Velcade, Lenalidomide, and Dexamethasone (DVRd) vs Velcade, Lenalidomide, and Dexamethasone (VRd) in Subjects with Previously Untreated Multiple Myeloma who are Eligible for High Dose Therapy	open
Takeda C16047 Prof. Dr. P. Sonneveld	≥18 years	A Phase 2, Open-Label Study of ixazomib+Daratumumab+Dexamethasone (IDd) in Relapsed and/or Refractory Multiple Myeloma (RRMM). PI Sonneveld	planned
54767414MMY3019 (Cepheus) Prof. Dr. P. Sonneveld		A Phase 3 Study Comparing Daratumumab, VELCADE (bortezomib), Lenalidomide, and Dexamethasone (D-VRd) with VELCADE, Lenalidomide, and Dexamethasone (VRd) in Subjects with Untreated Multiple Myeloma and for Whom Hematopoietic Stem Cell Transplant is Not Planned as Initial Therapy	planned
CLL			
Hovon 141 Dr. J.K. Doorduijn	≥ 18 years	A prospective, multicenter, phase-II trial of ibrutinib plus venetoclax in patients with creatinine clearance ≥ 30 ml/min who have relapsed or refractory chronic lymphocytic leukemia (RR-CLL) with or without TP53 aberrations	open
NHL			
ABBV-621 Dr. P. Lugtenburg	≥ 18 years	MJ16ABBV-621, An Open Label Phase 1, First-In-Human Study of TRAIL Receptor Agonist ABBV-621 in Subjects with Previously-Treated Solid Tumors and Hematologic Malignancies	open
Amgen 20150290		Amgen 20150290 - Blinatumomab. A Phase 1b Open Label Study Investigating the Safety and Efficacy of Blinatumomab in combination With Pembrolizumab in Adult Subjects With Relapsed or Refractory Diffuse Large B-Cell Lymphoma (DLBCL).	planned
Celgene MEDI4736-NHL-001 Dr. P. Lugtenburg	≥18- ≤ 80 years and > 80 yrs	A Phase 1/2, open label, multicenter study to assess the safety and tolerability of durvalumab (anti-PD-L1 antibody) as monotherapy and in combination therapy in subjects with lymphoma or chronic lymphocytic leukemia (MEDI4736-NHL-001)	open

Celgene CC-122-NHL-001 Dr. J.K. Doorduijn	≥ 18 years	A phase 1B open label study to evaluate the safety and efficacy of CC-122 in combination with Obinutuzumab ((GA101) in subjects with relapsed/refractory diffuse large B-CELL lymphoma and indolent NHL	open
Celgene MEDI4736-NHL-001 Dr. P.J. Lugtenburg	≥ 18 years and ≤ 80 years	A Phase 1/2, open label, multicenter study to assess the safety and tolerability of durvalumab (anti-PD-L1 antibody) as monotherapy and in combination therapy in subjects with lymphoma or chronic lymphocytic leukemia (MEDI4736-NHL-001)	open
Celgene JCAR017-BCM-001 Dr. M. Jongen	≥ 18 years and ≤ 80 years	A Phase 2, Single-Arm, Multi-Cohort, Multi-Center Trial to Determine the Efficacy and Safety of JCAR017 in ADULT Subjects with Aggressive B-Cell NON-HODGKIN Lymphoma. JCAR017-BCM-001.	open
Celgene JCAR017-BCM-003 Dr. P.J. Lugtenburg	≥ 18 and ≤ 75 years.	A global randomized multicenter Phase 3 trial to compare the efficacy and safety of JCAR017 to standard of care in adult subjects with high-risk, transplant-eligible relapsed or refractory aggressive B-cell non-Hodgkin lymphomas (TRANSFORM).	planned
GEN3013-C-GCT3013-01-CSR Dr. P.J. Lugtenburg	18-70 years	A phase 1/ 2, open label, dose escalation trial of GEN3013 in patients with relapsed, progressive or refractory B-cell lymphoma	open
IELSG 42 Dr. J.K. Doorduijn	18-70 years	An international phase II trial assessing tolerability and efficacy of sequential Methotrexate-Aracytin-based combination and R-ICE combination, followed by high-dose chemotherapy supported by autologous stem cell transplant, in patients with systemic B-cell lymphoma with central nervous system involvement at diagnosis or relapse (MARIETTA regimen)	open
KTE-C19-101-NHL ZUMA-1 Dr. P.J. Lugtenburg	≥ 18 years	A Phase 1/2 Multi-Center Study Evaluating the Safety and Efficacy of KTE-C19 in Subjects with Refractory Aggressive Non-Hodgkin Lymphoma (NHL) (ZUMA-1)	open
KTE-C19-102-MCL ZUMA-2 Dr. P.J. Lugtenburg	≥ 18 years	A Phase 2 Multicenter Study Evaluating the Efficacy of KTE-C19 in Subjects with Relapsed/Refractory Mantle Cell Lymphoma (r/r MCL) (ZUMA-2)	open

KTE-C19-103 (r/r ALL) (ZUMA-3) <i>Dr. P.J. Lugtenburg</i>	≥ 18 years	<i>A Phase 1/2 Multi-Center Study Evaluating the Safety and Efficacy of KTE-C19 in Adult Subjects with Relapsed/Refractory B-precursor Acute Lymphoblastic Leukemia (r/r ALL) (ZUMA-3)</i>	planned
Pfizer B991011 Javelin (DLBDL) <i>Dr.P.Lugtenburg</i>	≥ 18 years	<i>multi-center, international, randomized, open-label, 2-component (Phase 1b followed by Phase 3), parallel-arm study of avelumab in combination with various agents for the treatment of Relapsed/Refractory (R/R) Diffuse Large B-Cell Lymphoma (DLBCL). Agents that will be tested include:</i>	planned
Pharmacyclics PCYC-1143-CA <i>Dr P. Lugtenburg</i>	≥ 18 years	<i>Phase 3 Study of Ibrutinib in Combination with Venetoclax in Subjects with Mantle Cell Lymphoma</i>	open
Hovon 110 <i>Dr. J.K. Doorduijn</i>	≥ 18 years	<i>Lenalidomide and rituximab with or without bendamustine in patients ≥ 18 years with relapsed follicular lymphoma</i>	open
Hovon 119 <i>Dr. J.K. Doorduijn</i>	≥ 18 years	<i>Efficacy of alternating immunochemotherapy consisting of R-CHOP + RHAD versus R-CHOP alone, followed by maintenance therapy consisting of additional lenalidomide with rituximab versus rituximab alone for older patients with mantle cell lymphoma</i>	open
Hovon 124 <i>Dr. J.K. Doorduijn</i>	≥ 18 years	<i>A prospective phase I/II trial of the combination of ixazomib citrate, rituximab and dexamethasone in patients with relapsed or progressive Waldenström's macroglobulinemia A HOVON/Greek Myeloma Study Group study</i>	open
Hovon 127 <i>Dr. P.J. Lugtenburg</i>	18-75 years	<i>Randomized phase II study comparing R-CODOX-M/R-IVAC versus dose-adjusted EPOCH-R (DA-EPOCH-R) for patients with newly diagnosed high risk Burkitt lymphoma</i>	open
Hovon 130/HO900 <i>Dr. P.J. Lugtenburg</i>	≥ 18 year	<i>A phase II study evaluating the effect of the addition of lenalidomide to R-CHOP for patients with newly diagnosed MYC positive DLBCL and BCL-U.</i>	open
Hovon 133 <i>Dr. J.K. Doorduijn</i>	≥ 18 years and ≤ 65 years	TRIANGLE: autologous Transplantation after a Rituximab/Ibrutinib/Ara-c containing induction in Generalized mantle cell Lymphoma – a randomized European MCL Network trial	open

Hovon 136 Dr. P.J. Lugtenburg	≥ 18 year	Phase I-II study combining Brentuximab Vedotin with second line salvage chemotherapy (R-DHAP) in CD30 positive diffuse large B-cell lymphoma patients refractory to first line chemotherapy or in first relapse who are eligible for high dose treatment followed by autologous stem cell transplantation	open
HO900 Dr. P.J. Lugtenburg	≥ 18 year	DLBCL: A national MYC screening study in relation to the HOVON 130 protocol	open
Hovon 144 Dr. P.J. Lugtenburg	≥ 18 year	A Phase 1/2 study of the combination of pixantrone, etoposide, bendamustine and, in CD-20 positive tumors, rituximab in patients with relapsed aggressive non-Hodgkin lymphomas of B- or T-cell phenotype – The P[R]EBEN study	open
Hovon 151	18-75	A phase II study evaluating the feasibility and clinical efficacy of atezolizumab consolidation treatment in high risk diffuse large B-cell lymphoma	planned
Hovon 152	≥ 18 year	A phase II study evaluating the effect of DA-EPOCH-R induction followed by nivolumab consolidation in patients with newly diagnosed high grade B cell lymphoma (HGBL) with MYC and BCL2 and/or BCL6 rearrangements	planned
Hodgkin			
Transplantaties			
Cord Blood Expansion (SR-1) Prof dr. J. Cornelissen	≥ 18 years	Umbilical cord blood transplantation in high-risk hematological patients using stemregenin-1 expanded hematopoietic stem cells. A feasibility study focussing on engraftment and hematopoietic recovery.	open
Hovon 96 Dr.A.E.C.Broers	18-65 years	Prevention and treatment of severe GVHD after allogeneic hematopoietic SCT, applied as consolidation immunotherapy in patients with hematological malignancies. Randomized Phase III	open
Hovon 113	≥ 18 years	Treatment of severe steroid-refractory acute GvHD with mesenchymal stromal cells. A phase III randomized double-	open

Prof J.J. Cornelissen		<i>blind multi-center HOVON study.</i>	
Hovon 148 Prof J.J. Cornelissen	18–70 years	<i>A phase Ib feasibility study of the combination of panobinostat and midostaurin in recipients of allogeneic stem cell transplantation with FLT3-ITD AML</i>	<i>open</i>
MPN			
HOVON 134 Dr.P.A.W.te Boekhorst	18-65 years	<i>A phase II trial in patients with myelofibrosis (primary, post-ET or post PV-MF) treated with the selective JAK2 inhibitor Pacritinib before reduced-intensity conditioning allogeneic stem cell transplantation</i>	<i>open</i>
Novartis /CINC424BIC04 Dr.P.A.W.te Boekhorst	≥ 18 years	<i>An International Multi-Centric Observational Study on the Use of Ruxolitinib in the Treatment of Patients with Polycythemia Vera resistant or intolerant to hydroxyurea</i>	<i>open</i>
Sanquin Incyte INCB039110 DRAIHA study Dr.P.A.W.te Boekhorst	≥ 18 years	<i>Data Registry of Autoimmune Hemolytic Anemia, to improve diagnostic testing for the development of personalized treatment protocols in AIHA patients.</i>	<i>planned</i>
Stolling			
Baxalta 071301 (willebrand) Prof. Dr. F. Leebeek	≥ 18 years	<i>prospective, open label, uncontrolled, non-randomized, international, multicenter phase 3 study to evaluate efficacy, safety, including immunogenicity and thrombogenicity, and HRQoL of a prophylactic treatment regimen with rVWF in patients with severe VWD.</i>	<i>open</i>
Caravaggio Dr MJHA Kruij	≥ 18 years	<i>Apixaban for the treatment of venous thromboembolism in patients with cancer: a prospective randomized open blinded end-point (PROBE) study - the Caravaggio study</i>	<i>open</i>
DAVID study Dr MJHA Kruij	≥ 12 years	<i>DDAVP treatment combined with FVIII clotting factor concentrates in patients with mild hemophilia A; DAVID study</i>	<i>open</i>
Little DAVID Dr MJHA Kruij	≥ 12 years	<i>DDAVP and FVIII concentrate combination treatment in non-severe haemophilia A patients undergoing minor surgical interventions (DAVID studies)</i>	<i>planned</i>
Crescendo study Dr MJHA Kruij	≥ 12 years	<i>The Clinical Relevance and Significance of New Diagnostic Options in patients with unexplained bleeding The CRESCENDO – study</i>	<i>planned</i>

Highlow <i>Dr MJHA Kruij</i>	≥ 18 <i>years</i>	<i>Highlow study</i> <i>Low-molecular-weight heparin to prevent recurrent VTE in pregnancy: a randomized controlled trial of two doses</i>	<i>open</i>
Sickle cell disease			
GBT440-031 - SCD <i>Dr. A. Rijneveld</i>	≥ 18 <i>years</i>	<i>A Phase 3, Double-blind, Randomized, Placebo-controlled, Multicenter Study of GBT440 Administered Orally to Patients With Sickle Cell Disease</i>	<i>open</i>
Sickle Cell Screen Lorrka <i>Dr. A. Rijneveld</i>		<i>Investigating Red blood cell deformability of sickle cell patients before and after the start of therapy</i>	<i>open</i>
Overig			
INCB 59872-101 <i>via Onco TM: Marieke Berkhout)</i>		<i>A Phase 1/2, Open-Label, Dose-Escalation/Dose-Expansion, Safety and Tolerability Study of INCB059872 in Subjects With Advanced Malignancies</i>	<i>planned</i>